

Short rail system for trapezoidal sheet metal roofs (aluminium and steel)

Product: _____

Location: _____

Customer: _____

K2 Systems – Fast, simple short rail system with many special features for trapezoidal sheet metal roofs.

K2 MiniRail System

Innovative and statically optimised short rail system that is quick and easy to mount. For trapezoidal sheet metal roofs with a roof pitch of 5-75°.

Screw connection with thread-forming screws with building approval Z-14.1-537 oder Z-14.1-4.

Universal module clamps (30-50 mm) and suitable for portrait and landscape orientation

Thermal cut after max. 18.80 m.

Statistically verified solution using the K2 Base planning software according to Eurocode 9. Load assumptions according to EUROCODE 1. Wind tunnel tested.

Supplier:

K2 Systems GmbH, Industriestraße 18, 71272 Renningen

Phone: +49 7159-42059 - 0

E-Mail: info@k2-systems.de – Web: www.k2-systems.com

Short rail system for trapezoidal sheet metal roofs (aluminium and steel)

Product: _____

Location: _____

Customer: _____

MiniRail with MiniFive System includes the following materials::

No.	Item Description	Product Code	Quantity	Price/Unit in €	Total price in €
1	<p>K2 MiniRail Set Short rail for mounting solar modules on trapezoidal sheet metal roofs. Consisting of:</p> <ul style="list-style-type: none"> ▶ 1 MiniRail with EPDM Dimesion: 385x78x20 mm, Material: EN AW-6063 T66, EPDM ▶ 4 thread-forming tapping screw with EPDM 6x25 mm, Material: stainless steel A2, EPDM 	2002341			
2	<p>K2 DomeClamp MC Universal middle clamp set for mounting solar modules with a frame height of 30-50 mm on the module support elements. Consisting of:</p> <ul style="list-style-type: none"> ▶ 1 Domeclamp MC 30-50 mm Solo, Material: EN AW-6063 T66 (aluminium mill finish/black anodized) ▶ 1 DomeClamp Stance; Material: Material: EN AW- 6082 T6 (aluminium mill finish/black anodized) ▶ 1 Bolt with serrated underhead M8 similar DIN 912 / EN ISO 4762, Material: stainless steel A2 ▶ Stainless steel spring 	<p>2002558 (mill finish)</p> <p>2002609 (black anodized)</p>			
3	<p>K2 DomeClamp EC Universal end clamp set for mounting solar modules with a frame height of 30-50 mm on the module support elements. Consisting of:</p> <ul style="list-style-type: none"> ▶ 1 DomeClamp EC 30-50 mm Solo; Material: EN 	<p>2002559 (mill finish)</p> <p>2002610 (black anodized)</p>			

Supplier:

K2 Systems GmbH, Industriestraße 18, 71272 Renningen

Phone: +49 7159-42059 - 0

E-Mail: info@k2-systems.de – Web: www.k2-systems.com

Short rail system for trapezoidal sheet metal roofs (aluminium and steel)

Product: _____

Location: _____

Customer: _____

	<p>AW-6063 T66 (aluminium mill finish/black anodized)</p> <ul style="list-style-type: none">▶ 1 DomeClamp Stance; Material: Material: EN AW- 6082 T6 (aluminium mill finish/black anodized)▶ 1 Bolt with serrated underhead M8 similar DIN 912 / EN ISO 4762, Material: stainless steel A2▶ Stainless steel spring				
--	--	--	--	--	--

Supplier:

K2 Systems GmbH, Industriestraße 18, 71272 Renningen

Phone: +49 7159-42059 - 0

E-Mail: info@k2-systems.de – Web: www.k2-systems.com